

Forage yield of some seeded bermudagrass varieties at Tifton, Georgia in 2003-2005.

Year	Variety	Dry Matter Yield ----- lbs/acre-----					Total
		Harvest Date					
2003		May 19	June 24	Aug. 11	Sept. 16	Oct. 23	
	Vaquero	2451 a	1878	2716	2001	656	9702
	Wrangler	118 b	3020	3354	2124	404	9020
	Cheyenne	612 b	2429	3015	1759	462	8277
	CD 90160	573 b	2331	2834	1797	495	8030
	CV %	71					
	LSD $_{\alpha=0.05}$	1069	NS	NS	NS	NS	NS
2004		May 24	June 29	Aug. 4	Sept. 9	Oct. 13	Total
	Cheyenne	2925 a	1785	2759	1459	1452	10380
	CD 90160	1860 b	1781	2795	1741	1490	9667
	Vaquero	2981 a	1202	2346	1609	1387	9525
	CV %	21					
		LSD $_{\alpha=0.05}$	945	NS	NS	NS	NS
2005		June 6	July 7	Aug. 15	Sept. 20	Oct. 25	Total
	Cheyenne	2412	1083	2350	1818	1150	8813
	CD 90160	2425	1107	2419	1666	776	8393
	Vaquero	1503	1021	2403	2363	1028	8318
	CV %						
		LSD $_{\alpha=0.05}$	NS	NS	NS	NS	NS

* Varieties within a harvest period that are labeled with the same letter were not significantly different ($\alpha=0.05$).